

CERTIFICATE NUMBER 17-HS1612606-PDA DATE 20 Mar 2017

ABS TECHNICAL OFFICE Houston ESD - Electrical

# **C**ERTIFICATE OF

# **DESIGN ASSESSMENT**

This is to certify that a representative of this Bureau did, at the request of

# **UE SYSTEMS**

assess design plans and data for the below listed product. This assessment is a representation by the Bureau as to the degree of compliance the design exhibits with applicable sections of the Rules. This assessment does not waive unit certification or classification procedures required by ABS Rules for products to be installed in ABS classed vessels or facilities. This certificate, by itself, does not reflect that the product is Type Approved. The scope and limitations of this assessment are detailed on the pages attached to this certificate.

Product: Ultrasonic Inspection System

Model: Ultraprobe 2000

This Product Design Assessment (PDA) Certificate 17-HS1612606-PDA, dated 20/Mar/2017 remains valid until 19/Mar/2022 or until the Rules or specifications used in the assessment are revised (whichever occurs first).

This PDA is intended for a product to be installed on an ABS classed vessel, MODU or facility which is in existence or under contract for construction on the date of the ABS Rules or specifications used to evaluate the Product.

Use of the Product on an ABS classed vessel, MODU or facility which is contracted after the validity date of the ABS Rules and specifications used to evaluate the Product, will require re-evaluation of the PDA.

Use of the Product for non ABS classed vessels, MODUs or facilities is to be to an agreement between the manufacturer and intended client.

---,

Engineer/Consultant

AMERICAN BUREAU OF SHIPPING

#### **UE SYSTEMS**

14 HAYES STREET

**ELMSFORD NY** 

United States 105232536 Telephone: 914-592-1220

Fax: 914-347-2181

Email: info@uesystems.com Web: www.uesystems.com

Tier: 2 - PDA Issued

**Product:** Ultrasonic Inspection System

Model: Ultraprobe 2000

**Intended Service:** 

Marine & Offshore Application - Analog Ultrasonic Inspection System: Intrinsically Safe Instrument Tests for leaks as well as performs Mechanical and Electrical Inspection.

**Description:** 

Hand-held Metered Pistol Type. Solid State Heterodyne Receiver with Temperature Compensation.

CSA and FM Approval: Intrinsically Safe for use in Class I, Division 1, Groups A,B, C & D; Intrinsically Safe AEx ib

T3 for use in Class I, Zone 1, Group IIC, Hazardous (Classified) indoor Locations

Temperature Code: T3;

SIRÂ Certification: EEx ib IIC T3

Ambient Temperature Range: -20 to +40 C

#### **Rating:**

Self contained NiMH Rechargeable, Recharging System is Standard 110 and 220 Volts. Detect Ultrasonic Frequencies between 20kHz-100 kHz

See attached brochure for details.

### **Service Restriction:**

Unit Certification is not required for this product. If the manufacturer or purchaser request an ABS Certificate for compliance with a specification or standard, the specification or standard, including inspection standards and tolerances, must be clearly defined.

#### **Comments:**

The Manufacturer has provided a declaration about the control of, or the lack of Asbestos in this product.

**Notes/Drawing/Documentation:** 

UE Systems Declaration of Conformity UP2000 dated 10 February 2017, Revision: -, Pages: 1

FM Approvals, Project ID 3009975, Dated: 21 January 2003, Revision: -, Pages: 8

CSA Report No. 1116185, Project No. 2438792, Dated: 7 July 2011, Revision: -, Pages: 10

SIRA Certificate No.: 04ATEX2269, SIRA Report No.: R24741A/00, Dated: May 2011, Pages: 5

# Terms of Validity:

This Product Design Assessment (PDA) Certificate 17-HS1612606-PDA, dated 20/Mar/2017 remains valid until 19/Mar/2022 or until the Rules or specifications used in the assessment are revised (whichever occurs first).

This PDA is intended for a product to be installed on an ABS classed vessel, MODU or facility which is in existence or under contract for construction on the date of the ABS Rules or specifications used to evaluate the Product.

Use of the Product on an ABS classed vessel, MODU or facility which is contracted after the validity date of the ABS Rules and specifications used to evaluate the Product, will require re-evaluation of the PDA.

Use of the Product for non ABS classed vessels, MODUs or facilities is to be to an agreement between the manufacturer and intended client.

# **UE SYSTEMS**

14 HAYES STREET

**ELMSFORD NY** 

United States 105232536 Telephone: 914-592-1220

Fax: 914-347-2181

Email: info@uesystems.com Web: www.uesystems.com

Tier: 2 - PDA Issued

# **STANDARDS**

## **ABS Rules:**

Rules for Conditions of Classification, Part 1 - 2017 Steel Vessels Rules 1-1-4/7.7, 1-1-A3, 1-1-A4, which covers the following:

2017 Steel Vessels Rules: 4-8-3/1.7, 4-8-3/13.1

Rules for Conditions of Classification, Part 1 - 2017 Offshore Units and Structures 1-1-4/9.7, 1-1-A2, 1-1-A3, which covers the following:

2017 Mobile Offshore Drilling Units: 4-3-3/9.3.1

#### National:

C22.2 No. 0-2010, General Requirements – Canadian Electrical Code, Part II CAN/CSA-C22.2 No. 157-92, Intrinsically Safe and Non-Incendive Equipment for Use in Hazardous Locations

#### International:

EN 50014:1997 + Amendments 1 and 2; EN 50020:2002

# **Government:**

NA

# **EUMED:**

NA

### **OTHERS:**

ASTM E1002-2011 requirements for Leak Detection